



FALLOTT



THE
SHADE
SPECIALISTS


TECHNICAL SPECIFICATIONS
DIMENSIONS
COLOURS
ACCESSORIES
PHOTO GALLERY



FALL OC




FALL CT




Tempered or triplex
6mm glass



Hidden
mechanism with
delicate finish



Easy to use,
smooth up and down
movement



High quality
aluminum profile

FALL OT/CT

TECHNICAL SPECIFICATIONS
PRODUCT PROFILE

SUNBLOCK's FALL OT/CT is a heavy-duty partition system that is ideal for permanent installation in outdoor applications. It can provide complete coverage of any area, regardless of its size, and - when combined with other shading products - it effectively seals the outdoor area, so that it can be used throughout the year.

Its operation is based on a specially designed counter-weight mechanism developed by SUNBLOCK that enables you to easily open and close the system with minimum force and effort.

This open (OT) and close (OT) type system, is the ultimate choice if you want flexibility in defining the perimeter of your space. The corner joints of FALL systems ensure a perfect fit, with no gaps, to completely seal off the area, when required.

FALL is the ideal solution for patios, yards, pedestrian walkways, etc., where the partitions can be installed either consecutively or in parts around the perimeter. SUNBLOCK's specialized personnel will assess the space, in order to provide you with a solution that will offer the best possible quality, guaranteed functionality, protection against weather conditions, safety and premium design.

FALL systems are available in customized sizes, while their frame and parts are all coated with electrostatic paint in the color of your choice (RAL), so that the end result will match the design, style and needs of the intended application.

FALL OT TECHNICAL SPECIFICATIONS

Frame:	Stunning line of high quality aluminum profiles
Guide profile:	178mm x 55mm
Glass:	6mm tempered
Moving:	Balance (easy up and down moving)
Mechanism:	Hidden mechanism with delicate finish



Protection from weather conditions.
Custom size and colour. Heavy duty construction.

ACCESSORIES




BF11
Metal Base
110x178x200mm



PF100
Planter

DIMENSIONS



Indicative Width and Height Options

Size (cm)	H1	H2	W
 FALL OT/CT	100	180	50 to 200
	110	200	50 to 200
	120	220	50 to 200

Dimensions are subject to change without prior notice.

FRAME COLOURS






PHOTO GALLERY **FALL OT/CT**
INSTALLATION EXAMPLES



Θρασυβούλου, Τ.Θ. 50078
Τ.Κ. 19300, Ασπρόπυργος
Τ 210 5577 981
210 4611 362
info@sunblock.gr

Thrasivoulou P.O.Box 50078
19300, Aspropyrgos, Greece
T (+30) 210 5577 981
(+30) 210 4611 362
info@sunblock.gr

www.sunblock.gr



WE
HEADS
THE
TSS